INDEX TO AUTHORS

ABRAMSON, HAROLD A., and MOYER, LAURENCE S. The electrical charge of mammalian red blood cells, 601

—. See MOYER and ABRAMSON, 727

ANDERSON, RUBERT S. Studies on bioluminescence. II. The partial purification of *Cypridina* luciferin, 301

ANSON, M. L. See MIRSKY and ANSON, 427, 439, 451

BLAIR, H. A. On the quantity of electricity and the energy in electrical stimulation, 951

BLINKS, L. R. The effects of current flow on bioelectric potential. I. *Valonia*, 633

—. II. *Halicystis*, 867

—. The polarization capacity and resistance of *Valonia*. I. Alternating current measurements, 673

BOYD, WILLIAM C. See HOOKER and BOYD, 373

BRDIČKA, R. The kinetics of the reaction which takes place between iodoacetic acid and glycine, 843

—. The kinetics of saponification of iodoacetic acid by sodium hydroxide and by certain alkaline buffer solutions, 899

BULL, HENRY B. See MOYER and BULL, 239

CASTLE, E. S. The double refraction of chitin, 797

CHASE, AURIN M. Anomalies in the absorption spectrum and bleaching kinetics of visual purple, 577

CLARK, JANET HOWELL. The denaturation of egg albumin by ultraviolet radiation, 199

CLARK, LEONARD B. The visual acuity of the fiddler-crab, *Uca pugnax*, 311

CLAUS, WALTER D. See HOLLAENDER and CLAUS, 753

COLE, KENNETH S., and COLE, ROBERT H. Electric impedance of *Arbacia* eggs, 625

— and —. Electric impedance of *Asterias* eggs, 609

COLE, ROBERT H. See COLE and COLE, 609, 625

COULTER, CALVIN B., STONE, FLORENCE M., and KABAT, ELVIN A. The structure of the ultraviolet absorption spectra of certain proteins and amino acids, 739

CROZIER, W. J. On the variability of critical illumination for flicker fusion and intensity discrimination, 503

— and ENZMANN, E. V. On the relation between litter size, birth weight, and rate of growth, in mice, 249

— and PINCUS, G. Analysis of the geotropic orientation of young rats. IX, 211

—, —, and ZAHL, P. A. The resistance of *Drosophila* to alcohol, 523

CURTIS, HOWARD J. Changes in thickness of the red blood corpuscle membrane, 929

DALTON, JOHN B., and SCHMIDT, CARL L. A. The solubility of *d*-valine in water, 767

DANIELLI, JAMES FREDERIC. The thickness of the wall of the red blood corpuscle, 19
DOW, PHILIP. The adsorption of egg albumin on collodion membranes, 907

EAGLE, HARRY. See HARRIS and EAGLE, 383
ENZMANN, E. V. See CROZIER and ENZMANN, 249

FRIEDMAN, IRVING. See THOMPSON and FRIEDMAN, 807

GODDARD, DAVID R. The reversible heat activation inducing germination and increased respiration in the ascospores of *Neurospora tetrasperma*, 45
GOLDFORB, A. J. Increased permeability to water of aging unfertilized eggs (*Arbacia punctulata*), 149
GRAYZEL, DAVID M. See THOMPSON and GRAYZEL, 61

HAIG, CHARLES. See HECHT, HAIG, and WALD, 321
HARRIS, TZVEE, and EAGLE, HARRY. The immunological specificity of the euglobulin and pseudoglobulin fractions of horse and human serum, 383
HARTLINE, H. KEFFER. See LUCKÉ, LARRABEE, and HARTLINE, 1
HECHT, SELIG, HAIG, CHARLES, and WALD, GEORGE. The dark adaptation of retinal fields of different size and location, 321
— and SHLAER, SIMON. Intermittent stimulation by light. V. The relation between intensity and critical frequency for different parts of the spectrum, 965
— and SMITH, EMIL L. Intermittent stimulation by light. VI. Area and the relation between critical frequency and intensity, 979
HEIDELBERGER, MICHAEL, and PEDERSEN, KAI O. The molecular weight and isoelectric point of thyroglobulin, 95
HERRIOTT, ROGER M. Acetylation of tyrosine in pepsin, 283
HILL, S. E., and OSTERHOUT, W. J. V. Pacemakers in *Nitella*. I. Temporary local differences in rhythm, 307
HOAGLAND, HUDSON. Adaptation of cutaneous tactile receptors. III, 221
—. Adaptation of cutaneous tactile receptors. VI. Inhibitory effects of potassium and calcium, 943
— and RUBIN, MORTON A. Adaptation of cutaneous tactile receptors. V. The release of potassium from frog skin by mechanical stimulation, 939
HOLLAENDER, ALEXANDER, and CLAUS, WALTER D. The bactericidal effect of ultraviolet radiation on *Escherichia coli* in liquid suspensions, 753
HOOKER, SANFORD B., and BOYD, WILLIAM C. A formulation of the serological flocculation rate in the region of considerable antibody excess, 373

JACQUES, A. G. The kinetics of penetration. XII. Hydrogen sulfide, 397

KABAT, ELVIN A. See COULTER, STONE, and KABAT, 739
KAMERLING, S. E. See OSTERHOUT and KAMERLING, 167
KOHN, HENRY I. Inhibition of photosynthesis in *Chlorella pyrenoidosa* by the iodoacetyl radical, 23
KRUEGER, A. P., and WEST, N. S. The accelerating effect of manganous ions on phage action, 75

KUNITZ, M., and NORTHROP, JOHN H. Isolation from beef pancreas of crystalline trypsinogen, trypsin, a trypsin inhibitor, and an inhibitor-trypsin compound, 991

LARRABEE, MARTIN G. See LUCKÉ, LARRABEE, and HARTLINE, 1

LILLIE, RALPH S. The electrical activation of passive iron wires in nitric acid, 109

LUCKÉ, BALDUIN, LARRABEE, MARTIN G., and HARTLINE, H. KEFFER. Studies on osmotic equilibrium and on the kinetics of osmosis in living cells by a diffraction method, 1

MACLEOD, JOHN. See PONDER and MACLEOD, 265

MAIN, RAYMOND K., and SCHMIDT, CARL L. A. The combination of divalent manganese with certain proteins, amino acids, and related compounds, 127

MARSHAK, A. The effect of x-rays on chromosomes in different stages of meiosis, 179

MARSLAND, DOUGLAS. See PONDER and MARSLAND, 35

MIRSKY, A. E. The change in state of the proteins of muscle in rigor, 571

—. Sulfhydryl and disulfide groups of proteins. IV. Sulfhydryl groups of the proteins of muscle, 559

— and ANSON, M. L. The reducing groups of proteins, 451

— and —. Sulfhydryl and disulfide groups of proteins. II. The relation between number of SH and S-S groups and quantity of insoluble protein in denaturation and in reversal of denaturation, 427

MIRSKY, A. E., and ANSON, M. L. Sulfhydryl and disulfide groups of proteins. III. Sulfhydryl groups of native proteins—hemoglobin and the proteins of the crystalline lens, 439

MONAGHAN, B. R., and WHITE, H. L. Effect of proteins on electrophoretic mobility and sedimentation velocity of red cells, 715

MOYER, LAURENCE S. Electrophoresis of sterols. III. Further investigations of cholesterol surfaces, 87

— and ABRAMSON, HAROLD A. Electrokinetic phenomena. XII. Electroosmotic and electrophoretic mobilities of protein surfaces in dilute salt solutions, 727

— and BULL, HENRY B. Electrokinetics. XVII. Surface charge and ion antagonism, 239

—. See ABRAMSON and MOYER, 601

NORTHROP, JOHN H. See KUNITZ and NORTHROP, 991

OSTERHOUT, W. J. V. Chemical restoration in *Nitella*. II. Restorative action of blood, 423

— and KAMERLING, S. E. The accumulation of electrolytes. VIII. The accumulation of KCl in models, 167

—. See HILL and OSTERHOUT, 307

PEDERSEN, KAI O. See HEIDELBERGER and PEDERSEN, 95

PINCUS, G. See CROZIER and PINCUS, 211

—. See CROZIER, PINCUS, and ZAHL, 523

PONDER, ERIC, and MACLEOD, JOHN. The alleged effect of electrical stimulation on the metabolism of red cell suspensions, 265
— and MARSLAND, DOUGLAS. The escape of hemoglobin from the red cell during hemolysis, 35
PROSSER, C. LADD. Action potentials in the nervous system of the crayfish. IV. Influence of temperature on nerve impulses arising "spontaneously" in abdominal ganglia, 65

REINER, L. A note on the relation between toxicity, resistance, and time of survival, 419
RUBIN, MORTON A. Adaptation of cutaneous tactile receptors. IV. Electrolyte content of frog skin, 935
—. See HOAGLAND and RUBIN, 939

SCHMIDT, CARL L. A. See DALTON and SCHMIDT, 767
—. See MAIN and SCHMIDT, 127
—. See TOMIYAMA and SCHMIDT, 379
—. See WINNEK and SCHMIDT, 773
SHLAER, SIMON. See HECHT and SHLAER, 965
SIZER, IRWIN W. Stimulation of *Fundulus* by oxalic and malonic acids and breathing rhythm as functions of temperature, 693
SMITH, EMIL L. See HECHT and SMITH, 979
STANNARD, J. N. See STIER and STANNARD, 461, 479
STIER, T. J. B. Relation of oxygen tension and temperature to the time of reduction of cytochrome, 339
STIER, T. J. B., and STANNARD, J. N. A kinetic analysis of the endogenous respiration of bakers' yeast, 461
— and —. The metabolic systems involved in dissimilation of carbohydrate reserves in bakers' yeast, 479
STONE, FLORENCE M. See COULTER, STONE, and KABAT, 739

TEORELL, TORSTEN. Ionic transference numbers in cellophane membranes, 917
THOMPSON, WILLIAM R., and FRIEDMAN, IRVING. On the individual characteristics of animal amylases in relation to enzyme source, 807
— and GRAYZEL, DAVID M. Studies in respirometry. IV. The use of a comparator system in refractovolumetric respirometry, 61
TOMIYAMA, TETUO, and SCHMIDT, CARL L. A. The solubilities of *l*-proline and *l*-hydroxyproline in water, the calculated heats of solution, and the partial molal volume of *l*-hydroxyproline, 379

WALD, GEORGE. Carotenoids and the visual cycle, 351
—. Pigments of the retina. I. The bull frog, 781
—. See HECHT, HAIG, and WALD, 321
WEINBACH, ANCEL P. The formation of milk sugar. The *in vitro* synthesis of lactose by active mammary gland preparations, 829
WEST, N. S. See KRUEGER and WEST, 75
WHITE, H. L. See MONAGHAN and WHITE, 715
WINNEK, PHILIP S., and SCHMIDT, CARL L. A. The solubilities of the *l*-dihalogenated tyrosines in ethanol-water mixtures and certain related data, 773

WOLF, ERNST, and ZERRAHN-WOLF, GERTRUD. The dark adaptation of the eye of the honey bee, 229

— and —. Threshold intensity of illumination and flicker frequency for the eye of the sunfish, 495

ZAHL, P. A. See CROZIER, PINCUS, and ZAHL, 523

ZERRAHN-WOLF, GERTRUD. See WOLF and ZERRAHN-WOLF, 229, 495

INDEX TO SUBJECTS

ABSORPTION spectrum and bleaching kinetics of visual purple, anomalies, 577
Acetylation of tyrosine in pepsin, 283
Acid, iodoacetic, and glycine, kinetics of reaction between, 843
—, iodoacetic, kinetics of saponification by sodium hydroxide and alkaline buffer solutions, 899
—, malonic, stimulation of *Fundulus*, function of temperature, 693
—, nitric, electrical activation of passive iron wires in, 109
—, oxalic, stimulation of *Fundulus*, function of temperature, 693
Acids, amino, proteins, and related compounds, combination of divalent manganese with, 127
—, amino, and proteins, structure of ultraviolet absorption spectra, 739
Albumin, egg, adsorption on collodion membranes, 907
—, egg, denaturation by ultraviolet radiation, 199
Alcohol, resistance of *Drosophila*, 523
Alkaline buffer solutions and sodium hydroxide, kinetics of saponification of iodoacetic acid by, 899
Amino acids, proteins, and related compounds, combination of divalent manganese with, 127
— acids and proteins, structure of ultraviolet absorption spectra, 739
Amylases, animal, individual characteristics in relation to enzyme source, 807
Antibody excess, formulation of serological flocculation rate in region of, 373
Arbacia eggs, electric impedance, 625
— *punctulata* eggs, aging, unfertilized, increased permeability to water, 149
Ascospores, *Neurospora tetrasperma*, germination induced by reversible heat activation, 45
—, *Neurospora tetrasperma*, increased respiration induced by reversible heat activation, 45
Asterias eggs, electric impedance, 609

BACTERICIDAL effect of ultraviolet radiation on *Escherichia coli* in liquid suspensions, 753
Bacteriophage action, accelerating effect of manganous ions, 75
Bee, honey, eye, dark adaptation, 229
Bioelectric potential in *Halicystis*, effects of current flow, 867
— potential in *Valonia*, effects of current flow, 633
Bioluminescence, 301
Birth weight, litter size, and rate of growth in mice, relation between, 249
Blood, action in chemical restoration in *Nitella*, 423
— corpuscle, red. *See* Erythrocyte.

CALCIUM, inhibitory effect on adaptation of cutaneous tactile receptors, 943

Carbohydrate reserves in bakers' yeast, dissimilation, metabolic systems involved, 479
Carotenoids and visual cycle, 351
Cell, blood, red. *See* Erythrocyte.
Cellophane membranes, ionic transference numbers in, 917
Cells, living, kinetics of osmosis studied by diffraction method, 1
—, living, osmotic equilibrium studied by diffraction method, 1
Chemical restoration in *Nitella*, 423
Chitin, double refraction, 797
Chlorella pyrenoidosa, photosynthesis inhibited by iodoacetyl radical, 23
Cholesterol surfaces and electrophoresis of sterols, 87
Chromosomes in different stages of meiosis, effect of x-rays, 179
Collodion membranes, adsorption of egg albumin on, 907
Corpuscle, blood, red. *See* Erythrocyte.
Crab, fiddler-, *Uca pugnax*, visual acuity, 311
Crayfish, nervous system, action potentials, 65
Cypridina luciferin, partial purification, 301
Cytochrome, reduction time, relation of oxygen tension and temperature, 339

l-DIHALOGENATED tyrosines in ethanol-water mixtures, solubilities and related data, 773
Disulfide and sulfhydryl groups of proteins, 427, 439, 559
— and sulfhydryl groups of proteins, relation between number of groups and quantity of insoluble protein in denaturation and in reversal of denaturation, 427
Drosophila, resistance to alcohol, 523

EGG albumin, adsorption on collodion membranes, 907
— albumin, denaturation by ultraviolet radiation, 199
Eggs, *Arbacia*, electric impedance, 625
—, *Arbacia punctulata*, aging, unfertilized, increased permeability to water, 149
—, *Asterias*, electric impedance, 609
Electric activation of passive iron wires in nitric acid, 109
— charge of mammalian red blood cells, 601
— impedance of *Arbacia* eggs, 625
— impedance of *Asterias* eggs, 609
— stimulation, alleged effect on metabolism of red cell suspensions, 265
— stimulation, energy in, and quantity of electricity, 951
Electricity, effects of current flow on bioelectric potential in *Halicystis*, 867
—, effects of current flow on bioelectric potential in *Valonia*, 633
—, polarization capacity and resistance of *Valonia*, alternating current measurements, 673
—, quantity, and energy in electrical stimulation, 951
Electrokinetic phenomena, 727
Electrokinetics, surface charge and ion antagonism, 239
Electrolyte content of frog skin, 935
Electrolytes, accumulation, 167
—, accumulation of potassium chloride in models, 167
Electroosmotic and electrophoretic mobilities of protein surfaces in dilute salt solutions, 727
Electrophoresis, sterols, 87

Electrophoretic and electroosmotic mobilities of protein surfaces in dilute salt solutions, 727
— mobility of red cells, effect of proteins, 715
Enzyme source, individual characteristics of animal amylases in relation to, 807
Erythrocyte, hemolysis, escape of hemoglobin during, 35
— membrane, changes in thickness, 929
— suspensions, metabolism, alleged effect of electrical stimulation, 265
—, wall, thickness, 19
Erythrocytes, electrophoretic mobility, effect of proteins, 715
—, mammalian, electrical charge, 601
—, sedimentation velocity, effect of proteins, 715
Escherichia coli in liquid suspensions, bactericidal effect of ultraviolet radiation, 753
Ethanol-water mixtures, solubilities and related data of *l*-dihalogenated tyrosines in, 773
Euglobulin fraction of horse serum, immunological specificity, 383
— fraction of human serum, immunological specificity, 383
Eye, honey bee, dark adaptation, 229
—, sunfish, threshold intensity of illumination and flicker frequency, 495

FIDDLER-CRAB, *Uca pugnax*, visual acuity, 311
Flocculation rate, serological, in region of considerable antibody excess, formulation, 373
Fundulus, breathing rhythm, function of temperature, 693
—, stimulation by oxalic and malonic acids, function of temperature, 693

GANGLIA, abdominal, crayfish, influence of temperature on nerve impulses arising spontaneously in, 65
Geotropic orientation of young rats, 211
Germination in *Neurospora tetrasperma* ascospores induced by reversible heat activation, 45
Gland, mammary, active preparations, *in vitro* synthesis of lactose by, 829
Glycine and iodoacetic acid, reaction between, kinetics, 843

HALICYSTIS, effects of current flow on bioelectric potential, 867
Heat activation, reversible, inducing germination in ascospores of *Neurospora tetrasperma*, 45
— activation, reversible, inducing increased respiration in ascospores of *Neurospora tetrasperma*, 45
Hemoglobin, escape from red cell during hemolysis, 35
—, sulfhydryl groups, 439
Hemolysis of red cell, escape of hemoglobin during, 35
Horse serum, euglobulin fraction, immunological specificity, 383
— serum, pseudoglobulin fraction, immunological specificity, 383
Hydrogen sulfide and kinetics of penetration, 397
l-Hydroxyproline, solubility in water, calculated heat of solution, and partial molal volume, 379

IMMUNOLOGICAL specificity of euglobulin and pseudoglobulin fractions of horse serum, 383
— specificity of euglobulin and pseudoglobulin fractions of human serum, 383
Iodoacetic acid and glycine, reaction between, kinetics, 843

Iodoacetic acid, kinetics of saponification by sodium hydroxide and alkaline buffer solutions, 899
Iodoacetyl radical, inhibition of photosynthesis in *Chlorella pyrenoidosa* by, 23
Ion antagonism and surface charge, 239
Ionic transference numbers in cellophane membranes, 917
Ions, manganous, accelerating effect on phage action, 75
Iron wires, passive, electrical activation in nitric acid, 109
Isoelectric point of thyroglobulin, 95

KINETIC analysis of endogenous respiration of bakers' yeast, 461
Kinetics, bleaching, and absorption spectrum of visual purple, anomalies, 577
— of osmosis in living cells studied by diffraction method, 1
— of penetration, hydrogen sulfide, 397
— of reaction between iodoacetic acid and glycine, 843
— of saponification of iodoacetic acid by sodium hydroxide and alkaline buffer solutions, 899

LACTOSE, *in vitro* synthesis by active mammary gland preparations, 829
Lens, crystalline, proteins, sulfhydryl groups, 439
Light, intermittent, stimulation by, area and relation between critical frequency and intensity, 979
—, intermittent, stimulation by, relation between intensity and critical frequency for different parts of spectrum, 965
—, structure of ultraviolet absorption spectra of certain proteins and amino acids, 739
Litter size, birth weight, and rate of growth in mice, relation between, 249
Luciferin, *Cypridina*, partial purification, 301

MALONIC acid stimulation of *Fundulus*, function of temperature, 693
Mammalian red blood cells, electrical charge, 601
Mammary gland. *See* Gland.
Man, serum, euglobulin fraction, immunological specificity, 383
—, serum, pseudoglobulin fraction, immunological specificity, 383
Manganese, divalent, combination with proteins, amino acids, and related compounds, 127
Manganous ions, accelerating effect on phage action, 75
Meiosis, chromosomes in different stages, effect of x-rays, 179
Membrane, erythrocyte, changes in thickness, 929
Membranes, cellophane, ionic transference numbers in, 917
—, collodion, adsorption of egg albumin on, 907
Metabolic systems involved in dissimilation of carbohydrate reserves in bakers' yeast, 479
Metabolism, red cell suspensions, alleged effect of electrical stimulation, 265
Milk sugar, formation, 829
Molecular weight of thyroglobulin, 95
Muscle proteins in rigor, change in state, 571
— proteins, sulfhydryl groups, 559

NERVE impulses arising spontaneously in crayfish abdominal ganglia, influence of temperature, 65

Nervous system, crayfish, action potentials, 65
Neurospora tetrasperma ascospores, germination induced by reversible heat activation, 45
— *tetrasperma* ascospores, increased respiration induced by reversible heat activation, 45
Nitella, chemical restoration, 423
—, pacemakers in, temporary local differences in rhythm, 307
Nitric acid, electrical activation of passive iron wires in, 109

ORIENTATION, geotropic, of young rats, 211
Osmosis in living cells, kinetics studied by diffraction method, 1
Osmotic equilibrium in living cells studied by diffraction method, 1
Oxalic acid stimulation of *Fundulus*, function of temperature, 693
Oxygen tension and temperature, relation to reduction time of cytochrome, 339

PANCREAS, beef, isolation of crystalline trypsinogen, trypsin, trypsin inhibitor, and inhibitor-trypsin compound from, 991
Penetration, kinetics, hydrogen sulfide, 397
Pepsin, tyrosine in, acetylation, 283
Permeability, increased, to water, of aging, unfertilized *Arbacia punctulata* eggs, 149
Photosynthesis in *Chlorella pyrenoidosa*, inhibition by iodoacetyl radical, 23
Pigments, retina, bull frog, 781
Polarization capacity and resistance of *Valonia*, alternating current measurements, 673
Potassium chloride, accumulation in models, 167
—, inhibitory effect on adaptation of cutaneous tactile receptors, 943
—, release from frog skin by mechanical stimulation, 939
Potential, bioelectric, in *Halicystis*, effects of current flow, 867
—, bioelectric, in *Valonia*, effects of current flow, 633
Potentials, action, in nervous system of crayfish, 65
l-Proline, solubility in water and calculated heat of solution, 379
Proline, *l*-hydroxy-, solubility in water, calculated heat of solution, and partial molal volume, 379
Protein, insoluble, quantity in denaturation and in reversal of denaturation, relation to number of sulfhydryl and disulfide groups, 427
— surfaces in dilute salt solutions, electroosmotic and electrophoretic mobilities, 727
Proteins, amino acids, and related compounds, combination of divalent manganese with, 127
— and amino acids, structure of ultraviolet absorption spectra, 739
—, effect on electrophoretic mobility of red cells, 715
—, effect on sedimentation velocity of red cells, 715
—, native, sulfhydryl groups, 439
— of crystalline lens, sulfhydryl groups, 439
— of muscle in rigor, change in state, 571
— of muscle, sulfhydryl groups, 559
—, reducing groups, 451
—, sulfhydryl and disulfide groups, 427, 439, 559

Pseudoglobulin fraction of horse serum, immunological specificity, 383
— fraction of human serum, immunological specificity, 383

RADIATION, ultraviolet, bactericidal effect on *Escherichia coli* in liquid suspensions, 753
—, ultraviolet, denaturation of egg albumin by, 199
Refraction, double, of chitin, 797
Refractovolumetric respirometry, use of comparator system, 61
Resistance of *Drosophila* to alcohol, 523
Resistance and polarization capacity of *Valonia*, alternating current measurements, 673
—, toxicity, and time of survival, relation between, 419
Respiration, endogenous, of bakers' yeast, kinetic analysis, 461
—, increased, in *Neurospora tetrasperma* ascospores, induced by reversible heat activation, 45
— rhythm of *Fundulus*, function of temperature, 693
Respirometry, 61
—, refractovolumetric, use of comparator system, 61
Retina, bull frog, pigments, 781
—, fields of different size and location, dark adaptation, 321

SALT solutions, dilute, electroosmotic and electrophoretic mobilities of protein surfaces in, 727
Saponification of iodoacetic acid by sodium hydroxide and alkaline buffer solutions, kinetics, 899
Sensory adaptation, cutaneous, 221, 935, 939, 943
Serological flocculation rate in region of considerable antibody excess, formulation, 373
Serum, horse, euglobulin and pseudoglobulin fractions, immunological specificity, 383
—, human, euglobulin and pseudoglobulin fractions, immunological specificity, 383
Skin, frog, electrolyte content, 935
—, frog, release of potassium by mechanical stimulation, 939
—, tactile receptors, adaptation, 221, 935, 939, 943
Sodium hydroxide and alkaline buffer solutions, kinetics of saponification of iodoacetic acid by, 899
Specificity, immunological, of euglobulin and pseudoglobulin fractions of horse serum, 383
—, immunological, of euglobulin and pseudoglobulin fractions of human serum, 383
Spectra, ultraviolet absorption, of proteins and amino acids, structure, 739
Spectrum, absorption, and bleaching kinetics of visual purple, anomalies, 577
—, relation between intensity and critical frequency for different parts of, in intermittent stimulation by light, 965
Sterols, electrophoresis, 87
Stimulation, electrical, alleged effect on metabolism of red cell suspensions, 265
—, electrical, energy in, and quantity of electricity, 951
—, intermittent, by light, area and relation between critical frequency and intensity, 979
—, intermittent, by light, relation between intensity and critical frequency for different parts of spectrum, 965
—, mechanical, releasing potassium from frog skin, 939
— of *Fundulus* by oxalic and malonic acids as function of temperature, 693

Sugar, milk, formation, 829
Sulfhydryl and disulfide groups of proteins, 427, 439, 559
— and disulfide groups of proteins, relation between number of groups and quantity of insoluble protein in denaturation and in reversal of denaturation, 427
— groups of native proteins, 439
— groups of proteins of muscle, 559
Sunfish eye, threshold intensity of illumination and flicker frequency, 495

TEMPERATURE, breathing rhythm of *Fundulus*, function of, 693
—, influence on nerve impulses arising spontaneously in crayfish abdominal ganglia, 65
— and oxygen tension, relation to reduction time of cytochrome, 339
—, stimulation of *Fundulus* by oxalic and malonic acids, function of, 693
Thyroglobulin, isoelectric point, 95
—, molecular weight, 95
Toxicity, resistance, and time of survival, relation between, 419
Trypsin, trypsin inhibitor, inhibitor-trypsin compound, and crystalline trypsinogen, isolation from beef pancreas, 991
Trypsinogen, crystalline, trypsin, trypsin inhibitor, and inhibitor-trypsin compound, isolation from beef pancreas, 991
Tyrosine in pepsin, acetylation, 283
Tyrosines, *l*-dihalogenated, in ethanol-water mixtures, solubilities and related data, 773

UCA *pugnax*, fiddler-crab, visual acuity, 311
Ultraviolet absorption spectra of proteins and amino acids, structure, 739
— radiation, bactericidal effect on *Escherichia coli* in liquid suspensions, 753
— radiation, denaturation of egg albumin by, 199

d-VALINE, solubility in water, 767
Valonia, effects of current flow on bioelectric potential, 633
—, polarization capacity and resistance, alternating current measurements, 673
Vision, acuity of fiddler-crab, *Uca pugnax*, 311
—, cycle, carotenoids and, 351
—, dark adaptation of retinal fields of different size and location, 321
—, threshold intensity of illumination and flicker frequency for sunfish eye, 495
—, variability of critical illumination for flicker fusion and intensity discrimination, 503

WATER, increased permeability of aging, unfertilized *Arbacia punctulata* eggs to, 149
—, solubility of *l*-hydroxyproline, 379
—, solubility of *l*-proline, 379
—, solubility of *d*-valine, 767
Water-ethanol mixtures, solubilities and related data of *l*-dihalogenated tyrosines in, 773

X-RAYS, effect on chromosomes in different stages of meiosis, 179

YEAST, bakers', carbohydrate reserves, dissimilation, metabolic systems involved, 479
—, bakers', kinetic analysis of endogenous respiration, 461